


## Theory and Simulation of Real and Ideal Magnetohydrodynamic Turbulence



Filesize: 5.94 MB

### ***Reviews***

*Absolutely essential study pdf. It is written in basic words and phrases rather than hard to understand. I am just happy to tell you that this is basically the finest pdf I actually have studied during my personal lifestyle and can be the very best publication for actually.*  
*(Shyanne Senger)*

## THEORY AND SIMULATION OF REAL AND IDEAL MAGNETOHYDRODYNAMIC TURBULENCE



To get **Theory and Simulation of Real and Ideal Magnetohydrodynamic Turbulence** PDF, please follow the link below and download the document or get access to additional information that are relevant to THEORY AND SIMULATION OF REAL AND IDEAL MAGNETOHYDRODYNAMIC TURBULENCE book.

BiblioGov. Paperback. Book Condition: New. This item is printed on demand. Paperback. 34 pages. Dimensions: 9.7in. x 7.4in. x 0.1in. Incompressible, homogeneous magnetohydrodynamic (MHD) turbulence consists of fluctuating vorticity and magnetic fields, which are represented in terms of their Fourier coefficients. Here, a set of five Fourier spectral transform method numerical simulations of two-dimensional (2-D) MHD turbulence on a  $512(\text{sup } 2)$  grid is described. Each simulation is a numerically realized dynamical system consisting of Fourier modes associated with wave vectors  $k$ , with integer components, such that  $k \leq k_{\text{max}}$ . The simulation set consists of one ideal (non-dissipative) case and four real (dissipative) cases. All five runs had equivalent initial conditions. The dimensions of the dynamical systems associated with these cases are the numbers of independent real and imaginary parts of the Fourier modes. The ideal simulation has a dimension of 366104, while each real simulation has a dimension of 411712. The real runs vary in magnetic Prandtl number  $P_{\text{M}}$ , with  $P_{\text{M}}$  is a member of 0.1, 0.25, 1, 4. In the results presented here, all runs have been taken to a simulation time of  $t = 25$ . Although ideal and real Fourier spectra are quite different at high  $k$ , they are similar at low values of  $k$ . Their low  $k$  behavior indicates the existence of broken symmetry and coherent structure in real MHD turbulence, similar to what exists in ideal MHD turbulence. The value of  $P_{\text{M}}$  strongly affects the ratio of kinetic to magnetic energy and energy dissipation (which is mostly ohmic). The relevance of these results to 3-D Navier-Stokes and MHD turbulence is discussed. This item ships from La Vergne, TN. Paperback.



[Read Theory and Simulation of Real and Ideal Magnetohydrodynamic Turbulence Online](#)



[Download PDF Theory and Simulation of Real and Ideal Magnetohydrodynamic Turbulence](#)

## Related Books



**[PDF] Kindle Fire Tips And Tricks How To Unlock The True Power Inside Your Kindle Fire**

Follow the web link beneath to download "Kindle Fire Tips And Tricks How To Unlock The True Power Inside Your Kindle Fire" document.

[Download eBook »](#)



**[PDF] Viking Ships At Sunrise Magic Tree House, No. 15**

Follow the web link beneath to download "Viking Ships At Sunrise Magic Tree House, No. 15" document.

[Download eBook »](#)



**[PDF] Memoirs of Robert Cary, Earl of Monmouth**

Follow the web link beneath to download "Memoirs of Robert Cary, Earl of Monmouth" document.

[Download eBook »](#)



**[PDF] Aeschylus**

Follow the web link beneath to download "Aeschylus" document.

[Download eBook »](#)



**[PDF] DK Readers Robin Hood Level 4 Proficient Readers**

Follow the web link beneath to download "DK Readers Robin Hood Level 4 Proficient Readers" document.

[Download eBook »](#)



**[PDF] The Stories Julian Tells A Stepping Stone BookTM**

Follow the web link beneath to download "The Stories Julian Tells A Stepping Stone BookTM" document.

[Download eBook »](#)